


# Product data sheet

# Wall bracket

# concealed Perlan



Wall bracket for concealed wall installation of tracks

#### AREAS OF APPLICATION

- For wall installation
- For timber leaves up to 43 mm thickness
- For concealed installation
- For full-glass doors

# Wall bracket concealed Perlan



## PRODUCT FEATURES

→ Wall bracket for concealed installation of tracks on the wall and leaf thicknesses up to 43 mm

## TECHNICAL DATA

Productname Wall bracket concealed Perlan


## VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour
Wall bracket concealed Perlan	bespoke, for use with up to 43 mm leaf thickness	130449	Stainless steel optic
Wall bracket concealed Perlan	bespoke, for use with up to 43 mm leaf thickness	130443	EV1

## PART

### WALL BRACKET CONCEALED PERLAN

Wall bracket for concealed wall installation of tracks



Designation	Description	Ident-No.	Colour	Type of installation
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130445	Stainless steel optic	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130444	Stainless steel optic	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130447	Stainless steel optic	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130439	EV1	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130440	EV1	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130446	Stainless steel optic	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130435	EV1	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130436	EV1	Wall
Wall bracket concealed Perlan	For use up with to 43 mm leaf thickness	130438	EV1	Wall

# Wall bracket concealed Perlan



## ACCESSORIES

### SPACER PROFILE 10 MM FOR CONCEALED WALL BRACKET PERLAN 43 MM

Spacer profile for wall installation for leaf thicknesses up to 43 mm



Designation	Description	Ident-No.	Colour
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136679	EV1
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136711	EV1
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136712	EV1
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	bespoke configuration	136717	
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136680	EV1
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136716	Stainless steel optic
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136714	Stainless steel optic
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136715	Stainless steel optic
Spacer profile 10 mm for concealed wall bracket Perlan 43 mm	for use with "concealed wall bracket up to 43 mm", stackable up to 20 mm spaces	136713	Stainless steel optic